

CONTENTS

acct	Per-process accounting file format	268
acid	Format of the account ID information file	275
acl	User access control lists format	276
aft	ASCII flaw table	279
aliases	Defines alias database for sendmail(8)	281
a.out	Loader output file	283
ar	Archive file format	286
arp	Address Resolution Protocol	235
arrayd.auth (see arrayd.conf)	Array services configuration files	288
arrayd.conf	Array services configuration files	288
bld	Relocatable library files format	299
confval	Configuration file for various products	300
core	Core file format	302
cpio	cpio archive file format	304
cpu	Interface to special CPU functions	3
cshrc	C shell start-up and termination files	307
def_ld (see def_seg)	Loader directives files	309
def_seg	Loader directives files	309
dir	Directory file format	311
dirent	File system-independent directory entry format	312
disk	Physical disk interface	9
dm	Kernel to data migration daemon communications interface	13
dsk	Disk drive interface	14
dump	Incremental file system dump format	314
dumpdates (see dump)	Incremental file system dump format	314
eqnchar	Special character definitions for eqn(1)	571
err	Error-logging interface	16
errfile	Error-log file format	317
esd	External Semaphore Device Logical-layer Interface	17
etc/netconfig (see netconfig)	Network configuration database	135
exports	Directories to export to NFS clients	320
exrc	Start-up files for ex(1) and vi(1)	322
fcntl	File control options	324
FDDI (see fddi)	ANSI Fiber Distributed Data Interface	27
fddi	ANSI Fiber Distributed Data Interface	27
fei	Front-end interface	53
fmsg	GigaRing I/O message and MMR interface	54
fs	File system partition format	326
fslog	File system error log interface	56
fslrec	File system error log record format	331
fstab	File that contains static information about file systems	333
ftpusers	List of unacceptable ftp(1B) users	337
gated-config	Gated configuration file syntax	338
gettydefs	Speed and terminal settings used by getty	359
group	Format of the group-information file	361
hdd	HIPPI disk device interface	57
HIPPI (see hippi)	ANSI High Performance Parallel Interface	64
hippi	ANSI High Performance Parallel Interface	64

hosts	Contains network host name database	363
hosts.bin (see hosts)	Contains network host name database	363
hosts.equiv	Contains public information for validating remote autologin	365
hpi3	IPI-3/HIPPI packet driver configuration file	75
hpm	Hardware Performance Monitor interface	103
hsx	High-speed External Communications Channel interface	105
hy	HYPERchannel adapter interface	111
icmp	Internet Control Message Protocol	237
igmp	Internet Group Management Protocol	240
inet	Description of Internet protocol family	241
inetd.conf	Internet super-server configuration file	367
infoblk	Loader information table	371
inittab	Script for init(8) process	373
inode	inode file system	116
inode	Inode format	377
intro	Introduction to special files	1
intro	Introduction to TCP/IP networking facilities and files	228
intro	Introduction to file formats	263
intro	Miscellaneous information pages	570
iose (see iosE)	IOS model E interface	118
iose	IOS model E interface	118
ip	Description of Internet Protocol	243
ipc	Interprocess communication (IPC) access structure	381
ipi3	IPI-3/IPI interface	122
iptos	IP Type-of-Service database	383
issue	Login message file	386
klog (see log)	System message log files	127
kmem (see mem)	Common or main memory files	130
krb.conf	Kerberos configuration file	387
krb.realms	Host to Kerberos realm translation file	388
ldd	Logical disk device	124
ldesc	Logical disk descriptor file	389
ld_Flib (see def_seg)	Loader directives files	309
license.dat	License configuration file for FLEXlm licensed applications	390
license.options	System administrator options file for FLEXlm licensed applications	394
lnode	Kernel user limits structure for fair-share scheduler	398
lo	Software loopback network interface	126
log	System message log files	127
login (see cshrc)	C shell start-up and termination files	307
logout (see cshrc)	C shell start-up and termination files	307
mailrc	Start-up files for mailx(1)	402
mailx.rc (see mailrc)	Start-up files for mailx(1)	402
MAKEFILE (see makefile)	File containing site-specific make(1) rules	404
makefile	File containing site-specific make(1) rules	404
man	Macros to format AT&T reference manual pages	572
masterfile	Internet domain name server master data file	406
mdd	Mirrored disk driver	128
me	Macros for formatting papers	576
mem	Common or main memory files	130
mib.txt	Management information base for SNMP applications and SNMP agents, respectively	409

mntent (see fstab)	File that contains static information about file systems	333
mnttab	Mounted file system table format	410
mnu	Interactive mnu-based display package	133
motd	File that contains message of the day	412
ms	Text formatting macros	580
msg	Message queue structures	413
msg	Text formatting macros for UNICOS messages	585
named.boot	Domain name server configuration file	415
ncdir (see dir)	Directory file format	311
netconfig	Network configuration database	135
netgroup	List of network groups	419
netrc	TCP/IP autologin information file for outbound ftp(1B) requests	421
networks	Network name database	423
nfs	UNICOS network file system (UNICOS NFS)	249
nis	A new version of the network information service	138
nisfiles	NIS+ database files and directory structure	149
nl_types	Defines message system variables	425
np	Network packet driver for low-speed interfaces	151
npcntl	N-packet control interface	162
nsswitch	Configuration file for the name-service switch	163
null	Null file	167
passwd	Format of the password file	427
pdd	Physical disk device interface	168
printcap	Printer capability database	429
proc	Process file system	173
profile	Format of shell start-up file	433
proto	Prototype job file for at(1)	435
protocols	Protocol name database	437
pty	Pseudo terminal interface	178
publickey	Public key database	438
qdd	Physical disk device interface	180
queuedefs	Queue description file for at(1), batch(1), and cron(8)	439
quota	Quota control file format	441
ram	Random-access memory disk interface	182
rdd	RAM disk driver	183
relo	Relocatable object table format under UNICOS	447
reqt	IPI-3 interface	185
resolv.conf	Domain name resolver configuration file	456
rhosts	Specifies a list of trusted remote hosts and account names	459
rmtab	List of remotely mounted file systems	461
route	Kernel packet forwarding database	252
sccsfile	Source Code Control System (SCCS) file format	462
sdd	Striped disk driver	186
sds	Secondary data storage interface on SSD devices	188
secded	SECEDED maintenance function interface	189
sectab	Format for table of defined security names and values	466
sem	Semaphore facility	467
sendmail.cf	Configuration file for TCP/IP mail service	469
services	Network service name database	470
sfs	File that contains the names of each Cray Research system in an SFS cluster and its associated SFS arbiter	192

share	Fair-share scheduler parameter table	472
shells	List of available user shells	476
shm	Shared memory facility	477
slog	Security log interface	195
slrec	Security log record format	479
snmpd.defs (see mib.txt)	Management information base for SNMP applications and SNMP agents, respectively	409
ssd	Solid state storage device	196
ssdd	SSD disk driver	197
ssdt	GigaRing-based Solid State Disk storage device interface	199
symbol	UNICOS symbol table entry format	483
tape	Physical tape device interface	201
tapereq	Tape daemon interface definition file	484
tapetrace	Tape daemon trace file format	486
tar	Tape archive file format	488
taskcom	Task common table format	492
tcp	Transmission Control Protocol	257
term	Format of compiled term file	494
terminfo	Terminal capability database	499
termio	General terminal interface	203
termios (see termio)	General terminal interface	203
text_tapeconfig	Tape subsystem configuration file	524
tmpdir	List of authorized users for tmpdir(1)	556
tmpdir.users (see tmpdir)	List of authorized users for tmpdir(1)	556
tpddem	Tape daemon interface	219
tty	Controlling terminal interface	223
types	Definition of primitive system data types	557
udb	Format of the user database (UDB) file	558
udp	Internet User Datagram Protocol	261
updaters	Configuration file for NIS updating	561
utmp	utmp and wtmp file formats	563
uuencode	Encoded uuencode file format	565
values	Machine-dependent values definition file	566
vme	VME (FEI-3) network interface	224
wtmp (see utmp)	utmp and wtmp file formats	563
xdd	Physical disk device interface	225
xtab (see exports)	Directories to export to NFS clients	320
ypfiles	Network information service (NIS) database and directory structure	568