

MIB Variables Supported by CRI [A]

This appendix lists the management information base (MIB) variables that CRI supports for the Simple Network Management Protocol (SNMP).

Note: SNMP is not part of the Cray ML-Safe configuration of the UNICOS system.

A.1 System Group

CRI supports the following system group (1.3.6.1.2.1.1) variables:

```
sysContact  
sysDescr  
sysLocation  
sysName  
sysObjectID  
sysServices  
sysUpTime
```

A.2 Interface Group

CRI supports the following interface group (1.3.6.1.2.1.2) variables:

```
ifAdminStatus  
ifDescr  
ifInDiscards  
ifInErrors  
ifInNUcastPkts  
ifInOctets  
ifInUcastPkts  
ifInUnknownProtos  
ifIndex  
ifLastChange  
ifMtu  
ifNumber  
ifOperStatus  
ifOutDiscards
```

```
ifOutErrors
ifOutNUcastPkts
ifOutOctets
ifOutQLen
ifOutUcastPkts
ifPhysAddress
ifSpecific
ifSpeed
ifType
```

A.3 Address Translation Group

CRI supports the following address translation group (1.3.6.1.2.1.3) variables:

```
atIfIndex
atNetAddress
atPhysAddress
```

A.4 IP Group

CRI supports the following IP group (1.3.6.1.2.1.4) variables:

```
ipAdEntAddr
ipAdEntBcastAddr
ipAdEntIfIndex
ipAdEntNetMask
ipAdEntReasmMaxSize
ipDefaultTTL
ipForwDatagrams
ipForwarding
ipFragCreates
ipFragFails
ipFragOKs
ipInAddrErrors
ipInDelivers
ipInDiscards
ipInHdrErrors
ipInReceives
ipInUnknownProtos
ipNetToMediaIfIndex
ipNetToMediaNetAddress
ipNetToMediaPhysAddress
```

```
ipNetToMediaType
ipOutDiscards
ipOutNoRoutes
ipOutRequests
ipReasmFails
ipReasmOKs
ipReasmReqds
ipReasmTimeout
ipRouteAge
ipRouteDest
ipRouteIfIndex
ipRouteInfo
ipRouteMask
ipRouteMetric1
ipRouteMetric2
ipRouteMetric3
ipRouteMetric4
ipRouteMetric5
ipRouteNextHop
ipRouteProto
ipRouteType
ipRoutingDiscards
```

A.5 ICMP Group

CRI supports the following ICMP group (1.3.6.1.2.1.5) variables:

```
icmpInAddrMaskReps
icmpInAddrMasks
icmpInDestUnreachs
icmpInEchoReps
icmpInEchos
icmpInErrors
icmpInMsgs
icmpInParmProbs
icmpInRedirects
icmpInSrcQuenchs
icmpInTimeExcds
icmpInTimestampReps
icmpInTimestamps
icmpOutAddrMaskReps
icmpOutAddrMasks
```

```
icmpOutDestUnreachs
icmpOutEchoReps
icmpOutEchos
icmpOutErrors
icmpOutMsgs
icmpOutParmProbs
icmpOutRedirects
icmpOutSrcQuenches
icmpOutTimeExcds
icmpOutTimestampReps
icmpOutTimestamps
```

A.6 TCP Group

CRI supports the following TCP group (1.3.6.1.2.1.6) variables:

```
tcpActiveOpens
tcpAttemptFails
tcpConnLocalAddress
tcpConnLocalPort
tcpConnRemAddress
tcpConnRemPort
tcpConnState
```

Note: CRI does not support the set operation on `tcpConnState`.

```
tcpCurrEstab
tcpEstabResets
tcpInErrs
tcpInSegs
tcpMaxConn
tcpOutRsts
tcpOutSegs
tcpPassiveOpens
tcpRetransSegs
tcpRtoAlgorithm
tcpRtoMax
tcpRtoMin
```

A.7 UDP Group

CRI supports the following UDP group (1.3.6.1.2.1.7) variables:

```
udpInDatagrams  
udpInErrors  
udpLocalAddress  
udpLocalPort  
udpNoPorts  
udpOutDatagrams
```

A.8 SNMP Group

CRI supports the following SNMP group (1.3.6.1.2.1.8) variables:

```
snmpEnableAuthenTraps  
snmpInASNParseErrs  
snmpInBadCommunityNames  
snmpInBadCommunityUses  
snmpInBadValues  
snmpInBadVersions  
snmpInGenErrs  
snmpInGetNexsts  
snmpInGetRequests  
snmpInGetResponses  
snmpInNoSuchNames  
snmpInPkts  
snmpInReadOnlylys  
snmpInSetRequests  
snmpInTooBigs  
snmpInTotalReqVars  
snmpInTotalSetVars  
snmpInTraps  
snmpOutBadValues  
snmpOutGenErrs  
snmpOutGetNexsts  
snmpOutGetRequests  
snmpOutGetResponses  
snmpOutNoSuchNames  
snmpOutPkts  
snmpOutSetRequests  
snmpOutTooBigs  
snmpOutTraps
```

